

13 January 2025

**Purchased Care Dental Data
for the MHS Mart (M2)
(Version 1.06.01)**

Future Specification

Revision History

| Version | Date | Originator | Para/Tbl/Fig | Description of Change |
|---------|------------|-------------------------------|---|---|
| 1.01.00 | 06/18/2010 | A. Hong | <ul style="list-style-type: none"> Whole document | <ul style="list-style-type: none"> Initial versioning. |
| 1.01.01 | 07/07/2010 | K. Hutchinson | <ul style="list-style-type: none"> Section II Section XI | <ul style="list-style-type: none"> Removed “unless it is the last field” from the end of the paragraph. Clarified M2 location. |
| 1.01.02 | 07/15/2010 | W. Funk | <ul style="list-style-type: none"> Section VII Section IX | <ul style="list-style-type: none"> Clarified look up for reservist table Removed HSSC Region Removed provider prime service area Removed enrollment site of record reference Added GWOT and IIW references Added Age Group, Age Group Code, Enrollment Site, and Sponsor SSN to data layout |
| 1.01.03 | 08/26/2010 | L. Wright | <ul style="list-style-type: none"> M2 Purchase Care Dental Feed Layout | <ul style="list-style-type: none"> Changed “servcat” {beneficiary category} from length \$5 to \$6. Changed “raddpfl” {dental service area} from length \$4 to \$1. |
| 1.01.04 | 09/24/2010 | K. Hutchinson (for L. Wright) | <ul style="list-style-type: none"> Section XI | <ul style="list-style-type: none"> Modified object label for location in M2 |
| 1.01.05 | 09/29/2010 | L. Wright | <ul style="list-style-type: none"> Record Layout and Content | <ul style="list-style-type: none"> Converted last exam dates coded as all zeros to nulls. |
| 1.02.00 | 04/28/2011 | W. Funk | <ul style="list-style-type: none"> Section VII | <ul style="list-style-type: none"> Renamed “GWOT” to “OCO” |
| 1.03.00 | 01/24/2012 | W. Funk | <ul style="list-style-type: none"> Section I Table 4 Table 5 Appendix A | <ul style="list-style-type: none"> Added MMSO Renamed Tmt DMISID and added 4 new data elements. Added TDP source column. Noted elements only available in restricted universe. Added a table to describe appended/inferred elements. Added pseudo person ID. Relabeled all elements with Tmt to use “Referring” instead. Description of preparation of one-time MMSO feed |
| 1.04.00 | 05/31/2012 | W. Funk | <ul style="list-style-type: none"> Tables 4 and 5 | <ul style="list-style-type: none"> Changed a label. Added Paid FY and Paid FM |
| 1.05.00 | 04/04/2013 | K. Hutchinson for W. Funk | <ul style="list-style-type: none"> Table 5 | <ul style="list-style-type: none"> Modified ACV Group for ACVR and V |
| 1.05.01 | 06/12/2013 | W. Funk | <ul style="list-style-type: none"> Table 5 | <ul style="list-style-type: none"> Changed labels from Paid FY and Paid FM to Paid CY and Paid CM |
| 1.05.02 | 11/20/2013 | W. Funk | <ul style="list-style-type: none"> Table 4 | <ul style="list-style-type: none"> Updated MDR TDP fields Updated “Processing Rule” for “source” field |
| 1.05.03 | 06/25/2017 | C. Kangas | <ul style="list-style-type: none"> Table 4 | <ul style="list-style-type: none"> Updated “source” to include TDP3 – new feeds from UCCL. Removed Appendix A as legacy MMSO data is no longer in M2. |
| 1.05.04 | 08/25/2017 | B. Ross for W. Funk | <ul style="list-style-type: none"> Table 4 Table 5 | <ul style="list-style-type: none"> Added new fields related to NDAA and region transition Hid region fields |
| 1.05.05 | 11/27/2017 | W. Funk | <ul style="list-style-type: none"> Table 1 | <ul style="list-style-type: none"> Changed the name of the referring region fields. Changed table numbers from 4 and 5 to 1 and 2 respectively. |
| 1.06.01 | 1/13/2025 | W. Funk | <ul style="list-style-type: none"> Table 1 | |

Purchased Care Dental Data

- I. Source: The Purchased Care Dental Data (PCDD) is provided to M2 by the MDR. The PCDD contains data for the Active Duty Dental Program (ADDP), TRICARE Dental Program (TDP) and historically the TRICARE Retiree Dental Program (TRDP).
- II. File Format: Regardless of the length specified, all fields are variable length and delimited by “|”. A null field will simply have an end of field delimiter “|” immediately following the previous field’s end of field delimiter.
- III. File Content: One feed file for each source and fiscal year is provided to the M2 each time the MDR updates a source, with each feed file representing a complete replacement for the specific source type and fiscal year. TRICARE Retiree Dental Program no longer exists and feeds are no longer being provided.
- IV. Organization and Batching: Each file consists of all records for all fiscal years being updated in MDR.
- V. Frequency of Processing: Monthly.
- VI. Filters: Original batches include all netted dental line items that were accepted and not cancelled or denied.
- VII. Updating the Master Tables: M2 tables are updated by removing records whose fiscal year and source match what is in the monthly feed file (can be obtained either from the feed file names, or from the FY and Source data elements in the feeds) and then appending the new feeds.
- VIII. Record Layout and Content

Table 1 contains the layout of the purchased care dental data feed to M2 from the MDR.

Table 1: M2 Purchased Care Dental Data Feed Layout

| M2 Data Element | Format | TDP Name | ADDP Name | TRDP Name | Processing Rule/Comments |
|---------------------------|----------|-------------|-----------|-------------|--------------------------|
| ACV | \$1 | acv | acv | acv | No transformation |
| Amount Allowed | 9.2 | allow | allow | allow | No transformation |
| Anterior/Posterior Flag | \$1 | ap_id | ap_id | ap_id | No transformation |
| Amount Paid | 9.2 | paid | approved | paid | No transformation |
| Authorization Number | \$16 | Leave blank | authnum | Leave blank | No transformation |
| Begin Date of Care | YYYYMMDD | begdate | begdate | Leave blank | No transformation |
| Beneficiary Category | \$3 | bencat | bencat | bencat | No transformation |
| Amount Billed | 9.2 | bill | bill | bill | No transformation |
| Surface Indicator, Buccal | \$1 | buc_ind | buc_ind | buc_ind | No transformation |
| Procedure Code | \$5 | cdt | cdt | cdt | No transformation |
| Record ID | \$13 | claimid | claimid | claimid | No transformation |
| CM | \$2 | cm | cm | cm | No transformation |
| Ben Cat Common | \$1 | comben | comben | comben | No transformation |
| CY | \$4 | cy | cy | cy | No transformation |
| DTF Referral Indicator | \$1 | Leave blank | d_dtref | Leave blank | No transformation |

| M2 Data Element | Format | TDP Name | ADDP Name | TRDP Name | Processing Rule/Comments |
|---------------------------------|---------------|-----------------|------------------|------------------|--|
| Beneficiary Zip Code | \$5 | deerszip | deerszip | deerszip | No transformation |
| Dental Readiness Classification | \$1 | drc | dentalclass | Leave blank | No transformation |
| Surface Indicator, Distal | \$1 | dis_ind | dis_ind | dis_ind | No transformation |
| Referring DMIS ID | \$4 | Leave blank | dtf_dmisid | Leave blank | No transformation |
| Sponsor Service | \$1 | dsponsvc | dsponsvc | dsponsvc | No transformation |
| Sponsor Service Aggregate | \$1 | dsvcagg | dsvcagg | dsvcagg | No transformation |
| Person ID | \$10 | edipn | edipn | edipn | No transformation. Only available in restricted universe. |
| End Date of Care | YYYYMMDD | enddate | enddate | enddate | No transformation |
| Ethnicity | \$1 | ethnic | ethnic | ethnic | No transformation |
| Surface Indicator, Facial | \$1 | fac_ind | fac_ind | fac_ind | No transformation |
| FM | \$2 | fm | fm | fm | No transformation |
| FY | \$4 | fy | fy | fy | No transformation |
| Provider Specialty, HIPAA | \$10 | Leave blank | hipaaspec | hipaaspec | No transformation |
| Surface Indicator, Incisal | \$1 | inc_ind | inc_ind | inc_ind | No transformation |
| Last Exam Date | YYYYMMDD | lastexam | lastexam | Leave blank | If the field is coded with all zeros convert the date to a null value (blank) else no transformation to the field. |
| Line Item Number | \$4 | linenum | linenum | linenum | No transformation |
| Medicare Eligibility | \$1 | medflag | medflag | medflag | No transformation |
| Surface Indicator, Mesial | \$1 | mes_ind | mes_ind | mes_ind | No transformation |
| Network Indicator | \$1 | network | network | network | No transformation |
| Provider NPI | \$14 | npi | npi | npi | No transformation |
| Group NPI | \$14 | Leave blank | npigroup | groupnpi | No transformation |
| Surface Indicator, Occlusial | \$1 | occl_ind | occl_ind | occ_ind | No transformation |
| Amount OHI | 9.2 | ohi | ohi | ohi | No transformation |
| Oral Health Initiative Flag | \$1 | Leave blank | oral_ind | Leave blank | No transformation |
| Person Association Reason Code | \$2 | parc | parc | parc | No transformation |
| Age | 3. | patage | patage | patage | No transformation |
| Date Of Birth | yyymmdd | patdob | patdob | patdob | No transformation |
| Gender | \$1 | patsex | patsex | patsex | No transformation |
| Provider ID | \$9 | provid | provid | taxid | No transformation |
| Provider Specialty | \$3 | provspec | provspec | txprovspec | No transformation |

| M2 Data Element | Format | TDP Name | ADDP Name | TRDP Name | Processing Rule/Comments |
|--------------------------------|---------|-----------------|-----------------|-----------------|---|
| Provider Zip Code | \$5 | provzip | provzip | provzip | No transformation |
| Quadrant | \$2 | quadrant | quadrant | quadrant | No transformation |
| Race | \$1 | race | race | race | No transformation |
| Dental Service Area | \$1 | leave blank | raddpfl | Leave blank | No transformation |
| Referral Number | \$16 | leave blank | refnum | Leave blank | No transformation |
| Replacement Reason | \$1 | replea | replea | Leave blank | No transformation |
| Work RVU | 7.2 | rvu | rvu | rvu | No transformation |
| Dental Benefit Category | \$6 | benefit | servcat | enc_type | No transformation |
| Tooth Number | \$2 | tooth1 | tooth | tooth | No transformation |
| Source of Claim | \$4 | N/A | source | N/A | Derived in MDR during preparation of M2 feed. If the data in the feed file represents ADDP then set to 'ADDP'; else if the feed data represents TDP (Met Life) then set to 'TDP2'; else if the feed source represents TRDP then set to 'TRDP'; else if the feed source represents TDP (UCCI) then set to 'TDP3' |
| Sponsor ID | \$9 | sponssn | sponssn | sponssn | No transformation. Only available in restricted universe. |
| Age Group Common | \$1 | N/A | N/A | N/A | Derived in MDR during preparation of M2 Feed, based on age. A: [0-4], B: [5-14], C: [15-17], D: [18-24], E: [25-34], F: [35-44], G: [45-64], H: [65-69], I: [70-74], J: [75-79], K: [80-84], L: 85+. Set to Z if blank. |
| Age Group Code | \$1 | agrgrp | agegrp | agegrp | No transformation |
| Enrollment Site | \$4 | denrsite | denrsite | denrsite | No transformation |
| Paid Date | yyymmdd | clmpddt | clmpddt | clmpddt | No transformation. |
| Dental Weighted Value | 5.2 | dww | dww | dww | No transformation. |
| Number of Services | 3 | svcs | Set to 1 | Set to 1 | No transformation. |
| Enrollment Group | \$3 | enr_grp | enr_grp | enr_grp | No transformation. |
| Enrollment PCMTYPE | \$1 | pcm_type | pcm_type | pcm_type | No transformation. |
| Beneficiary T3 Region | \$2 | ben_t3_reg | ben_t3_reg | ben_t3_reg | No transformation. Hidden field |
| Beneficiary T2017 Region | \$2 | ben_t17_reg | ben_t17_reg | ben_t17_reg | No transformation. |
| Enrollment Site T3 Region | \$2 | enr_t3_reg | enr_t3_reg | enr_t3_reg | No transformation. Hidden field |
| Enrollment Site T2017 Region | \$2 | enr_t17_reg | enr_t17_reg | enr_t17_reg | No transformation. |
| Provider T2017 Region | \$2 | prov_t17_reg | prov_t17_reg | prov_t17_reg | No transformation. |
| Provider T3 Region | \$2 | prov_t3_reg | prov_t3_reg | prov_t3_reg | No transformation. Hidden field |
| Referring DMIS ID T3 Region | \$2 | ref_mtf_t3_reg | ref_mtf_t3_reg | ref_mtf_t3_reg | No transformation. Hidden field |
| Referring DMIS ID T2017 Region | \$2 | ref_mtf_t17_reg | ref_mtf_t17_reg | ref_mtf_t17_reg | No transformation. |
| ACV Group | \$15 | acvgroup | acvgroup | N/A | No transformation. |
| Beneficiary T5 Region | \$2 | ben_t5_reg | ben_t5_reg | N/A | No transformation |
| Enrollment Site T5 Region | \$2 | enr_t5_reg | enr_t5_reg | N/A | No transformation |
| Provider T5 Region | \$2 | prov_t5_reg | prov_t5_reg | N/A | No transformation |

| M2 Data Element | Format | TDP Name | ADDP Name | TRDP Name | Processing Rule/Comments |
|-----------------------------|--------|------------|------------|-----------|--------------------------|
| Referring DMIS ID T5 Region | \$2 | ref_t5_reg | ref_t5_reg | N/A | No transformation |

IX Appended Fields: The M2 has many data fields that are viewed in the M2 either by joining to another table, or through data element additions made during loading of the data. Table 2 describes these elements and the rules to create them.

Table 2: Appended/Inferred data elements visible in M2 but not in the data feed from the MDR

| Field Name | Derivation Rule |
|---------------------------------|--|
| ACVGroup | If ACV in (A, E, H or J) then set to "Prime", else if ACV in (B, F) then set to "Overseas Remote", else if ACV in (G, I) then set to "Plus", else if ACV is U then set to "Desig Prov", else if ACV in (R, V) then set to "Other", else if ACV in (M, Q) then set to "Reliant", else if Benefat Common = 4 then set to "Reliant", else set to "Other". |
| Beneficiary HSSC Region | HIDE See M2 Omni-CAD specification for business rules. |
| Beneficiary First Name | Match to Master Person Index based on person ID to retrieve the required beneficiary first name. Only visible in restricted universe. |
| Beneficiary Last Name | Match to Master Person Index based on person ID to retrieve the required last name. Only visible in restricted universe. |
| Beneficiary Name | Match to Master Person Index based on person ID to retrieve the required beneficiary name. Only visible in restricted universe. |
| Beneficiary Region | HIDE See M2 Omni-CAD specification for business rules. |
| Catchment Area ID | Aggregate sponsor service in the PCDD data so that A: Army, F: Air Force, N: Navy/Marines and O: Others. Then match PCDD data (Beneficiary zip code, FY/FM and the just-aggregated sponsor service) to the Market Table (zip code, FY/FM and service) to retrieve the Catchment Area ID. If no match, leave blank. |
| Catchment Area Name | Match by catchment area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve name. If no match, leave blank. |
| Catchment Area Command | Match by catchment area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve command. If no match, leave blank. |
| Catchment Area Military Service | Match by catchment area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve military service. If no match, leave blank. |

| Field Name | Derivation Rule |
|--------------------------------------|---|
| Catchment Area MSMA | Match by catchment area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve name. If no match, leave blank. Hide field. |
| Catchment Area Readiness Command | Match by catchment area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve readiness command. If no match, leave blank. |
| Catchment Area Readiness Service | Match by catchment area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve readiness service. If no match, leave blank. |
| Catchment Area Base Market Code | Match by catchment area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve base market code. If no match, leave blank. Hide field. |
| Catchment Area Expanded Market Code | Match by catchment area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve expanded market code. If no match, leave blank. Hide field. |
| Catchment Area Market Name | Match by catchment area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve market name. If no match, leave blank. Hide field. |
| Catchment Area Network | Match by catchment area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve network. If no match, leave blank. |
| Catchment Area Reporting Market Code | Match by catchment area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve reporting market code. If no match, leave blank. Hide field. |
| Catchment Area Reporting Market Name | Match by catchment area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve reporting market name. If no match, leave blank. Hide field. |
| Catchment Area Type of Market Code | Match by catchment area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve type of market code. If no match, leave blank. Hide field. |
| Catchment Area Type of Market Name | Match by catchment area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve type of market name. If no match, leave blank. Hide field. |
| Enrollment Site Name | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve name. If no match, leave blank. |
| Enrollment Site Command | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve command. If no match, leave blank. |
| Enrollment Site DHP Code | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve DHP Code. If no match, leave blank. |

| Field Name | Derivation Rule |
|---------------------------------------|---|
| Enrollment Site Financial Parent | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve financial parent. If no match, leave blank. |
| Enrollment Site Financial Parent Name | Match by enrollment site financial parent and FY to the DMIS ID Index table (DMISID, FY) to retrieve financial parent name. If no match, leave blank. |
| Enrollment Site HSSC Region | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve DHP Code. If no match, leave blank. |
| Enrollment Site Military Service | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve military service. If no match, leave blank. |
| Enrollment Site MSMA | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve MSMA. If no match, leave blank. Hide field |
| Enrollment Site Network | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve network. If no match, leave blank. |
| Enrollment Site Region | HIDE See M2 DMISID Index specification for business rules. |
| Enrollment Parent DMIS ID | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve parent DMIS ID. If no match, leave blank. |
| Enrollment Parent DMIS ID Name | Match by enrollment site parent and FY to the DMIS ID Index table (DMISID, FY) to retrieve name. If no match, leave blank. |
| Enrollment Site Readiness Command | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve readiness command. If no match, leave blank. |
| Enrollment Site Readiness Service | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve readiness service. If no match, leave blank. |
| Enrollment Site Readiness Parent | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve readiness parent. If no match, leave blank. |
| Enrollment Site Base Market Code | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve base market code. If no match, leave blank. Hide field. |
| Enrollment Site Expanded Market Code | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve expanded market code. If no match, leave blank. Hide field. |

| Field Name | Derivation Rule |
|--|---|
| Enrollment Site Market Name | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve market name. If no match, leave blank. Hide field |
| Enrollment Site Reporting Market Code | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve reporting market code. If no match, leave blank. Hide field |
| Enrollment Site Reporting Market Name | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve reporting market name. If no match find, leave blank. Hide field |
| Enrollment Site Type of Market Code | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve type of market code. If no match, leave blank. Hide field |
| Enrollment Site Type of Market Name | Match by enrollment site and FY to the DMIS ID Index table (DMISID, FY) to retrieve type of market name. If no match, leave blank. Hide field |
| IIW Flag | Match to IIW table based on person ID. If a match is found set to "Y", else set to "N". Hide Field |
| Market Area ID | Match PCDD data by beneficiary zip code, FY and FM to the Market Table by zip code, FY and FM where the service is O to retrieve market area ID. If no match found, leave blank. |
| MIF Service Area | Aggregate sponsor service in the PCDD data so that A: Army, F: Air Force, N: Navy/Marines and O: Others. Then match PCDD data (Beneficiary zip code, FY/FM and the just-aggregated sponsor service) to the Market Table (zip code, FY/FM and service) to retrieve the MIF Service Area. If no match found, leave blank. |
| MIF Service Area Name | Match by MIF Service Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve the name. If no match found, leave blank. |
| MIF Service Base Market Code | Match by MIF Service Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve base market code. If no match found, leave blank. Hide field |
| MIF Service Area Expanded Market Code | Match by MIF Service Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve expanded market code. If no match found, leave blank. Hide field |
| MIF Service Area Reporting Market Code | Match by MIF Service Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve reporting market code. If no match found, leave blank. Hide field |
| MIF Service Area Type of Market Code | Match by MIF Service Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve type of market code. If no match found, leave blank. Hide field |
| Number of Line Items | Count of unique record ID/line item numbers |

| Field Name | Derivation Rule |
|--|--|
| Paid CY | Derive from paid date. |
| Paid CM | Derive from paid date. |
| Prime Service Area | Match to the M2 Market Table by zip code, FY and FM and retrieve Prime Service Area |
| PRISM Area ID | Aggregate sponsor service in the PCDD data so that A: Army, F: Air Force, N: Navy/Marines and O: Others. Then match PCDD data (Beneficiary zip code, FY/FM and the just-aggregated sponsor service) to the Market Table (zip code, FY/FM and service) to retrieve the PRISM Area ID. If no match found, leave blank. |
| PRISM Area Name | Match by PRISM Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve the name. If no match found, leave blank. |
| PRISM Area Command | Match by PRISM area and FY to the DMIS ID Index table (DMISID, FY) to retrieve command. If no match found, leave blank. |
| PRISM Area Military Service | Match by PRISM area and FY to the DMIS ID Index table (DMISID, FY) to retrieve military service. If no match found, leave blank. |
| PRISM Area MSMA | Match by PRISM area and FY to the DMIS ID Index table (DMISID, FY) to retrieve MSMA. If no match found, leave blank. Hide field. |
| Provider Catchment Area ID | Match PCDD data (provider zip code, FY/FM to the Market Table (zip code, FY/FM and service="O") to retrieve the Catchment Area ID. If no match, leave blank. |
| Provider Catchment Area Name | Match by Provider Catchment Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve name. If no match found, leave blank. |
| Provider Catchment Area MSMA | Match by Provider Catchment Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve MSMA. If no match found, leave blank. Hide field. |
| Provider Catchment Area HSSC Region | HIDE See M2 MIS ID Index specification for business rules. |
| Provider Catchment Area Readiness Command | Match by Provider Catchment Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve readiness command. If no match found, leave blank. |
| Provider Catchment Area Readiness Service | Match by Provider Catchment Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve readiness service. If no match found, leave blank. |

| Field Name | Derivation Rule |
|---|--|
| Provider Catchment Area Base Market Code | Match by Provider Catchment Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve base market code. If no match found, leave blank. Hide field. |
| Provider Catchment Area Expanded Market Code | Match by Provider Catchment Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve expanded market. If no match found, leave blank. Hide field. |
| Provider Catchment Area Market Name | Match by Provider Catchment Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve market name. If no match found, leave blank. Hide field. |
| Provider Catchment Area Reporting Market Code | Match by Provider Catchment Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve reporting market code. If no match found, leave blank. Hide field. |
| Provider Catchment Area Reporting Market Name | Match by Provider Catchment Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve reporting market name. If no match found, leave blank. Hide field. |
| Provider Catchment Area Type of Market Code | Match by Provider Catchment Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve type of market code. If no match found, leave blank. Hide field. |
| Provider Catchment Area Type of Market Name | Match by Provider Catchment Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve type of market name. If no match found, leave blank. Hide field. |
| Provider Market Area ID | Match PCDD data by provider zip code, FY and FM, to the Market Table to retrieve the market area ID. If no match found, leave blank. |
| Provider PRISM Area ID | Match PCDD data by provider zip code, FY and FM to the Market Table by zip code, FY and FM where the service is O to retrieve the PRISM Area ID. If no match found, leave blank. |
| Provider PRISM Area Name | Match by Provider PRISM Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve name. If no match found, leave blank. |
| Provider PRISM Area MSMA | Match by Provider PRISM Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve MSMA. If no match found, leave blank. Hide field. |
| Provider PRISM Area Readiness Command | Match by Provider PRISM Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve readiness command. If no match found, leave blank. |
| Provider PRISM Area Readiness Service | Match by Provider PRISM Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve readiness service. If no match found, leave blank. |

| Field Name | Derivation Rule |
|---|---|
| Provider PRISM Area Base Market Code | Match by Provider PRISM Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve base market code. If no match found, leave blank. Hide field. |
| Provider PRISM Area Expanded Market Code | Match by Provider PRISM Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve expanded market code. If no match found, leave blank. Hide field. |
| Provider PRISM Area Market Name | Match by Provider PRISM Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve market name. If no match found, leave blank. Hide field. |
| Provider PRISM Area Reporting Market Code | Match by Provider PRISM Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve reporting market code. If no match found, leave blank. Hide field. |
| Provider PRISM Area Reporting Market Name | Match by Provider PRISM Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve reporting market name. If no match found, leave blank. Hide field. |
| Provider PRISM Area Type of Market Code | Match by Provider PRISM Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve type of market code. If no match found, leave blank. Hide field. |
| Provider PRISM Area Type of Market Name | Match by Provider PRISM Area ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve type of market name. If no match found, leave blank. Hide field. |
| Pseudo Person ID | Confidential algorithm to encrypt person ID. Must be consistent with all other M2 tables. |
| Pseudo Sponsor ID | Confidential algorithm to encrypt sponsor ID. Must be consistent with all other M2 tables. |
| Reservist Status Code | Join based on SSN and begin date of care from PCDD data between begin and end dates of reservist status in Reservist Table. If no match found, leave blank. See Reservist Specification for more information. |
| Referring DMIS ID Name | Match by Referring DMIS ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve name. If no match found, leave blank. |
| Referring DMIS ID Command | Match by Referring DMIS ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve command. If no match found, leave blank. |
| Referring DMIS ID DHP Code | Match by Referring DMIS ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve DHP Code. If no match found, leave blank. |
| Referring DMIS ID HSSC Region | Match by Referring DMIS ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve HSSC region. If no match found, leave blank. |

| Field Name | Derivation Rule |
|---|--|
| Referring DMIS ID Military Service | Match by Referring DMIS ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve military service. If no match found, leave blank. |
| Referring DMIS ID MSMA | Match by Referring DMIS ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve MSMA. If no match found, leave blank. Hide field. |
| Referring DMIS ID Region | Match by Referring DMIS ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve region. If no match found, leave blank. |
| Referring Parent DMIS ID | Match by Referring DMIS ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve parent DMIS ID. If no match found, leave blank. |
| Referring Parent DMIS ID Name | Match by Referring Parent DMIS ID and FY to the DMIS ID Index table (DMISID, FY) to retrieve referring parent name. If no match found, leave blank. |
| TPR Flag | Match PCDD data by beneficiary zip code, FY and FM to the Market Table by zip code, FY and FM where the service is O to retrieve the required TPR flag. If no match found, leave blank. |
| Ever Deployed Flag (OCO) | Match to CTS by sponssn if the PCDD begin date is between the CTS begin and end dates. If no match, set to N, else set to Y. Hide field. |
| Days Since Most Recent OCO Deployment (Dimension) | Match to CTS by sponssn if the PCDD begin date is between the CTS begin and end dates. If Deployment Record Flag = 'D' then set to 0. If Deployment Record Flag = 'B' set to PCDD begin date – CTS begin date. If no matching record set to 0. Hide field. |
| Days Since Return from OCO Deployment (Measure) | Match to CTS by sponssn if the PCDD begin date is between the CTS begin and end dates. If Deployment Record Flag = 'D' then set to 0. If Deployment Record Flag = 'B' set to PCDD begin date – CTS begin date. If no matching record set to 0. Hide field. |
| Cumulative OCO Deployed Days | Match to CTS by sponssn if the PCDD begin date is between the CTS begin and end dates. If Deployment Record Flag = 'D' and Cumulative OCO Deployed Days is null then set to PCDD Begin Date – CTS Begin Date; Else if Deployment Record Flag = 'D' then set to Cumulative OCO Days Deployed + (PCDD Begin Date – CTS Begin Date); Else if Deployment Record Flag = 'B' then set to Cumulative OCO Days Deployed; If no matching record, set to null. Hide field |

| Field Name | Derivation Rule |
|-------------------|--|
| OCO Deployed Flag | Match to CTS by sponssn if the PCDD begin date is between the CTS begin and end dates. If Deployment Record Flag="D", set to 'Y'; else (including if no matching record) set to 'N'. Hide field |

X Quality Review

- Record counts should be match those contained in the transmittal letter representing each feed, which will not be feed frequencies, but frequencies from the MDR files that were used to prepare each feed.
- The first and last 10 records in the files should be visually inspected to ensure proper formatting after loading

XI. File Location

Health Care Services / Dental/ Purchased Care Dental

XII. Special Outputs:

In accordance with EIDS Technical Data Standards, if a view is made available to users with this data, the file name, field names and formats shall remain the same and data shall be updated at the same cadency as the M2 data. Record counts should be checked against export transmittals to ensure proper loads.